



AQUAPURA INVERTER

THE HEAT PUMP THAT GIVES MORE COMFORT AND ECONOMY TO YOUR HOUSE

ATTRACTIVE AND COMPACT DESIGN / INVERTER TECHNOLOGY
HEAT PUMP PREPARED FOR DHW
DOES HEATING AND COOLING




The DC INVERTER technology differs from any other existing technology on the market since it possesses compressors with the capacity to vary the frequency of operation according to the exact comfort needs of the house HVAC. There is therefore lower energy consumption.







Advantage: up to 70% energy-saving




















TOP

INVERTER		4/12-230V
*Heating Capacity	kW	4.2~12.3
	BTU/H	14200~41800
*COP	W/W	3.97~4.39
** Cooling Capacity	kW	2.8-7.5
	BTU/H	9500~25500
EER	W/W	2.15~2.70
Power Supply	V/Ph/Hz	230V/1N/50Hz
Number Of Compressors	/	1
Compressors	/	Rotary
Fans	/	1
Net Dimensions (W/H/D)	mm	1190/445/750
Shipping Dimensions (W/H/D)	mm	1200/490/800

Equipment with fluid pre-charge R410a | *Heating: Room temperature (DB/WB): 7°C/6°C, Water temperature (Inlet/Outlet): 30°C/35°C | **Cooling: Room temperature (DB/WB): 7°C/6°C, Water temperature (Inlet/Outlet): 30°C/35°C | **Cooling: Room temperature (DB/WB): 7°C/6°C, Water temperature (Inlet/Outlet): 30°C/35°C | **Cooling: Room temperature (DB/WB): 7°C/6°C, Water temperature (Inlet/Outlet): 30°C/35°C | **Cooling: Room temperature (DB/WB): 7°C/6°C, Water temperature (Inlet/Outlet): 30°C/35°C | **Cooling: Room temperature (DB/WB): 7°C/6°C, Water temperature (Inlet/Outlet): 30°C/35°C | **Cooling: Room temperature (DB/WB): 7°C/6°C, Water temperature (Inlet/Outlet): 30°C/35°C | **Cooling: Room temperature (DB/WB): 7°C/6°C, Water temperature (35°C/24°C, Water temperature (Inlet/Outlet): 12°C/7°C



More detailed information at energie.pt

Address Zona Industrial de Laúndos, Lote 48 4570-311 Laúndos - Póvoa de Varzim PORTUGAL **GPS Coordinates** N 41 27.215', W 8 43.669' Telephone + 351 252 600 230

Fax + 351 252 600 239 **E-mail** energie@energie.pt Web www.energie.pt

Authorized Dealer



Project co-financed by:



